

THE UNITED STATES OF AMERICA

Hennington Seeds, Inc. and Rutgers, The State Unibersity of Aeb Jersey

MICCENS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT WHEREAS PROTECTION UNDER THE LAW.

PLANT VARIETY PROTECTION AS THE SAID APPLICANT (S) FOR THE TERM OF TWENTY AS PROMISED APPLICANT (S) FOR THE TERM OF TWENTY AS PROMISED AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT (S) FOR THE TERM OF TWENTY AS PROMISED AND THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC EXISTMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE COEXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR SET, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE POSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

FESCUE, TALL

'Rehel IV'

In Costimonn Macrost, I have hereunto set my hand and caused the seal of the Plant Haristy Protection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of November, in the year two thousand and seven.

Attest:

myel

Commissioner Plant Variety Protection Office Agricultural Marketing Servic retary of Agriculture

U.S. DEPARTME! AGRICULTURAL! SCIENCE AND TECHNOLOGY - P	NT OF AGRICULTU MARKETING SERVI LANT VARIETY PRO	CE	å a Paparwork Reduction Act (PR	A) of 1995.	noo with the Privacy Act of 1974 (5 U.S.C. 552a) and	
APPLICATION FOR PLANT VA			(i U.S.C. 2421) Information is 66	id confidenta	i plant variety protection certificate is to the issued all uniti certificate is issued (7 U.S.C. 2426).	
Pennington Seeds, Inc., The	State Un	iversity of New Jersey	2 TEMPORARY DESIGNATION EXPERIMENTAL NAME BR4, R4		pel IV	
ADDRESS (Street and No., or R.F.D. No., Cay,			5 TELEPHONE (INCLUDE BYSIN CO. (541) 451-5361. (336)-14-2600 6 FAX (Include BYSIC CO.) (541) 451-5231	PVP	POR OFFICIAL USE DNLY O NUMBER 200400293	
BT:9/29/2007)			(356) 766 6143 COXX	FILI	NG DATE	
IF THE OWNER NAMED IS NOT A "PERSON", ORGANIZATION (corporation, partnership, dated		A IF INCORPORATED, GIVE STATE OF INCORPORATION	DATE OF INCORPORATION		200400293 NG DATE Uugust 12,2004	
LLC		NC	7-13-00	~		
o. NAME AND ADDRESS OF OWNER REPRESS V.G. Lehmun 811 Mountain River Dr. Lebanon, OR 97355	,,			RE\$ REG#! V ∈ D	: 3652 DATE 8/12/2004 CERTIFICATION FEE: 176800 DATE 10/22/2007	
1. TELEPHONE (Include eree code)	12. FAX (Include (541) 451-	•	13 EMAIL			
(541) 451 4847 6. CROP KIND (Common Name)	1 ' '		vichman@aol.com	YNA NIATNO	TRANSGENES? (OPTIONAL)	
			☐ YES [7] N		,	
All fescus Graminae 5. GENUS AND SPECIES NAME OF CROP 17. IS THE VARIETY A FIRST GENERATION HYDRIO?			IF SO, PLEASE GIVE T	HE ASSIGNE	ED USDA-APHIS REFERENCE NUMBER FOR TH ULATE THE GENETICALLY MODIFIED PLANT FO	
Festuca arundinacea Types No			COMMERICALIZATION		DON'T THE TRUE TRACT MOST TEST EATH FO	
(Follow instructions on reverse)					SEED OF THIS VARIETY BE SOLD AS A CLASS or B3(a) of the Plant Variety Protection Act)	
a. Exhibit A. Origin and Breeding History	of the Variety		YES (If 'yes', answer froms 21 and 22 below) NO (If 'no', go to flem) 23) 71. DOES THE CHANGE SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF CLASSES? YES NO IF YES, WHICH CLASSES? FOUNDATION REGISTERED CERTIFIED 22. DOES THE CHANGE SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO			
⇒ ☑ Exhibit B Statement of Destactment						
c. 🔽 Exhibit C. Objective Description of Va	1ety					
d Drivible D. Additional Description of the	Vanety (Optonai)					
e. DExhibit E. Statement of the Basis of the	e Owners Ownersh	lp .	22. DOES THE OWNER SPI NUMBER OF GENERA		SEED OF THIS VARIETY BE LIMITED AS TO	
Voucher Sample (7,500 visite uniment verifization that tissue culture will be di reposition)			IF YES NO IF YES, SPECIFY THE NUMBER 1,2,3, etc. FOR EACH CLASS			
g. 7 Filing and Examination Fee (\$3,652), a	nade peveble to "Tri	essurer of the United				
States* (Mell to the Plant Variety Protect				PROUNDATION 2 REGISTERED 2 CÉRTIFIED (If additional explanation is necessary, please use the space indicated on the reverse)		
. HAS THE VARIETY (INCLUDING ANY HARVE FROM THIS VARIETY BEEN SOLD, DISPOSE OTHER COUNTRIES?			(If additional explanation is necessary, please use the space indicated on the reverse.) 24. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENTY?			
YES NO			☐ YES ☑ NO			
IF YES, YOU MUST PROVIDE THE DATE OF POR EACH COUNTRY AND THE CIRCUMSTA	FIRST BALE, DISP NCES. (Please us	OSITION, TRANSFER, OR USE apace indicated on reverse.)		IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANTE AND ASSIGNED REFERENCE NUMBER. (Please use space indicated on raverse.)		
a buber propagated variety a tissue culture will be. The undersigned owner(y) is(are) the owner of	e deposited in apu ⊅ossexually reprodu	iblic repository and institutioned for the iced or baker propagated plant variety	e di ration of the certificate.		ca with such regulations as may be appäcable, or for with such regulations as may be appäcable, or for with such a space of the with such as required in Section 42, and is	
entitled to protection under the provisions of Se Owner(s) is (are) informed that false represents		•	bes.			
SNATURE OF OWNER			SIG LATURE OF OWNER		and the state of t	
Into blendel			Keith R. Coope	E/1		
Wife (Pleaser print or type)			MIE PROPERTY OF THE PARTY OF TH	at M		
Kenneth R. Budd		4,	(MUX)///C			
PACITY OR TITLE	DATE		Acting Executive			
was	1-		Dean of Agricul		July 29, 2004	
			and Natural Reso	_		

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that name has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, 10301 Baltimore Avenue, Suite 401 NAL Building, Beltsville, MD 20705. Telephone: (301) 504-5682 http://www.ams.usda.gov/lsg/seed.htm.

ITEM

- 19a. Give:
- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties;
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Feb 2004 in the US

24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid CMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, perental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require elternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

Origin and Breeding History of R-4 Tall Fescue

R-4 tall fescue (Festuca arundinacea Schreb.) is a semi-dwarf, medium low-growing, dark green, medium-fine-leaved, turf-type tall fescue selected from the maternal progenies of 47 clones. R-4 was selected for high seed yield, medium-high density, dark-green color, semi-dwarf growth habit, improved rust resistance and medium-early maturity.

Twenty-four percent of the maternal germplasm of R-4 traces to plants selected from or related to Shenandoah II. Fifteen percent of the maternal germplasm traces to a few plants selected from the University of Georgia in 1977. Four percent of the maternal germplasm traces to plants selected from or related to Adam's Valley. Another four percent trace to plants selected from or related to Rebel II. Two percent of the maternal germplasm traces to plants selected from or related to Chieftan. Another two percent of the maternal germplasm traces to a population used in the development of Tomahawk. Another two percent traces to plants selected from or related to Amigo. The remaining 47 percent trace to plants selected from Maryland, Georgia, Oklahoma and Mississippi and underwent numerous cycles of population improvement. This parental germplasm traces its origin to plants selected from old turfs of the United States in a germplasm collection program initiated in 1962, to plants selected from or related to Rebel tall fescue (Funk et al., 1981). Attractive clones were selected from old turfs in Birmingham, AL; Athens, Atlanta, and Millegeville, GA; Preston, ID; Baltimore, MD; Bayonne, Jersey City, Elizabeth, Princeton, and Cape May, NJ; eastern North Carolina; Philadelphia, PA; Nashville, TN; Lexington, KY; Cincinnati, OH Dallas, TX; and northern Mississippi. The tall fescue plants selected from old turfs were of unknown origin. All were large patches of turf surviving in stressful environments indicating that they had persisted and developed over a period of many years.

A few hundred attractive, turf-type plants were collected and established in spaced-plant nurseries and/or frequently mowed clonal evaluation trials at Rutgers University. All but a few dozen of the most promising plants were quickly discarded. The best selections were very different from any tall fescue variety in existence at the time of collection. They produced lower-growing turfs with finer leaves, greater density, darker color, and greater tolerance of close mowing.

The most promising plants were identified by their persistence and appearance in old turfs and their performance in spaced-plant nurseries, mowed clonal evaluation tests, and single-plant progeny trails under turf maintenance. Intercrosses of the best performing plants were subjected to varying cycles of phenotypic and genotypic selection depending on their date of collection. New sources of germplasm were added to the breeding program as it became available from the continuing collection program. Each cycle of selection showed continued progress in producing lower-growing, darker green, attractive plants with improved turf performance scores. Selection was also effective in maintaining high seed yields, and good stress tolerance. Substantial progress was made in developing tall fescues with finer leaves, a lower growth profile, increased persistence under close mowing, and increased density.

Large numbers of single-plant progenies were seeded in turf evaluation trials at the Plant Science Research Farm at Adelphia, NJ in 1995, 1996, 1997 and 1998. The plants selected for progeny evaluation were selected from spaced-plant nurseries at Adelphia following varying cycles of phenotypic and genotypic selection of germplasm selected from old turfs and germplasm selected from or related to Rebel tall fescue.

Following the a period of brown patch disease in 1999, a total of 6150 tillers were selected from the best performing single-plant progeny turf plots from the 1995, 1996, 1997 and 1998 tall fescue test at Adelphia. One hundred and forty-five single-plot progenies were selected from 510 plots from 8 different populations from the 1995 test, 585 plots from 9 different populations in the 1996 test, 1055 plots from 10 different

populations from the 1997 test and 635 plots from 9 different populations from the 1998 test. Selection was based on performance records as well as appearance at the time the plants were selected from these progeny plots. Selection of plants from each progeny was based on an attractive dark green color, medium-fine leaves, abundant tillering, and medium-high turf density. These plants were established in greenhouse flats prior to their transfer to a 3060 spaced-plant nursery in the fall of 1999. In the spring of 2000, 75% of this nursery was rogued, prior to anthesis, for disease susceptibility, non-uniform growth habit, poor seed yield potential and light green color. Approximately 765 plants were left to open-pollinate in this nursery. Fifty-one plants with medium-early maturity, similar growth habit and improved rust resistance were harvested from this nursery. One turf plot of each plant was established in the fall of 2000. In addition, these 51 clones were vegetatively propagated to 48 plants used to establish an isolated replicated polycross nursery in fall of 2000. In the spring of 2001, four clones in the nursery were eliminated due to poor turf quality in turf plots. The remaining 47 plants were allowed to interpollinate and approximately 90% of these plants were harvested as R-4 breeder seed. These plants produced approximately 35 pounds of breeder seed. Replicated turf plots of R-4 were established at Adelphia in the fall of 2001 and entered in the 2001 National Tall Fescue test to be tested throughout the country. Sixteen pounds of breeder seed was sent to Budd Seeds Co. for foundation and certified seed increase.

References

1. Buckner, Robert C., Jerrell B. Powell, and Rod V. Frakes. 1979. Historical Development, in Buckner, Robert C., and Lowell P. Bush (editors) Tall Fescue. Agronomy Monograph 20. American Society of Agronomy, Crop Science Society of America, Soil Science Society of America, Inc., Publishers. Madison, Wisconsin pages 1-8.

2. Funk, C.R., R.E. Engel, W.K. Dickson, and R.H. Hurley. 1981. Registration of Rebel tall fescue. Crop Sci. 21:632.

Statement of Stability:

No objectionable off-type plants or variants have been observed in the reproduction or multiplication of Rebel IV. Rebel IV is a stable and uniform variety.

Exhibit B. Statement of distinctness

Rebel IV is distinct from all other tall fescue varieties by a combination of turf and morphological measurements. Rebel IV is most similar to Rebel Sentry. Rebel IV has a panicle length that is shorter than Rebel Sentry. (Tables 1-2, Exhibit).

(BT: 9/27/07 parapplicant's authorization)

REPRODUCE LOCALLY. Include form number and date on all reproductions.

Form Approved - OMB No. 0581-0055

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Information inf

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791. To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal opportunity employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PROGRAM PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

EXHIBIT C (TALL & MEADOW FESCUES)

OBJECTIVE DESCRIPTION OF VARIETY TALL & MEADOW FESCUES

(Festuca spp.)

#200400293

NAME OF APPLICANT(S)	TEMPORARY DESIG	NATION VAR	UETY NAME
Pennington Seeds Inc. and Rutgers, The State University of New Jersey (87:9/27/2007)	R4, B	R4	Rebel IV
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code) 270 Hansard Avenue: V. G. Lulman, 811 Mountain River Dr., Lebanon, OR 97355			OFFICIAL USE ONLY O NUMBER
(87:9/24/2007)		#25 (10400293
Place the appropriate number that describes the varietal characteristics o 089). Characteristics described, including numerical measurements, shou for SPACED PLANTS. Royal Horticultural Society or any recognized coan asterisk * are characteristics which should be recorded.	ald represent those that are	typical for the va	riety. Measured data should
* 1. SPECIES: (With comparison varieties, use varieties within the spec	ies of the application var	iety)	
$1_1 = F$. arundinacea (Tall) $Turf Ty$	pes		
1 = Kentucky 31 2 = Rebel 3 = Olympic	4 = Bonanza	5 = Arid	6 = Rebel II
7 = Shortstop 8 = Silverado 9 = Rebel Jr.	10 = Mini Mustang	11 = Crewcut	12 = Bonsai
Forage 7	Гуреѕ		
20 = Kentucky 3121 = Martin	22 = Forager 23 = N	lozark	•
24 = Kenhy 25 = AU Triumph	26 = Fawn	27 = Cajun	
2 = F. pratensis (Meadow)			:
30 = Admira $31 = Beaumont$ $32 = Con$	ntessa 33 = Ensign	34 = Trader	
* 2. CYTOLOGY:			
Chromosome Number			
3. ADAPTATION: (0 = Not Tested; 1 = Not Adapted; 2 = Adapted)	· · · · · · · · · · · · · · · · · · ·	·	
2_Transition Zone2West2Northeast	Other (Specify):_	·	
4. MATURITY: (Date First Headed, 10% of Panicle Emergence)			
7_ Maturity Class 1 = Very early () 2 = AU Triumph	3 = Early (Fawr	n) 4 = K31, Kenh	y 5 = Medium (Rebel)

ereil inner enner is, as to be a self-referent (AA front in se		nanza	7 = Late (Silverado)) 9 = Very #110	2004002
ate Headed	16 May 2002_	·	Location _		Lebanon, OR	
	Days earlier than					
nortstop	Maturity same as	Co	omparison Variety			
8 D	Days later than	_1_ J				
		CM: (Average of panicle is nodding	100 culms * INTERN , straighten) (F		I CM: ubtending the flag leaf)	
95.9 c	m Height (year=20	003)		18.1_ cm Int	ternode Length	
_38.2 c	cm Shorter than	_1_			norter than 1	
	Height same as	\	parison Variety	Lei	ngth same as	Comparison Variety
	Height same as	_	purison variety	cm	Longer than	
	Height same as _ cm Taller than		parison Variety			
	HABIT: (Mature F		2 9 4 4 6		5 II	
9	1 = Prostrate (7 = Semierect (R	•	3 = Semiprostrate (9 = Erect (Mini Mus		5 = Horizontal ()	
RHIZOMES	(Psuedo):	······		*******		-
<u>·</u> _	_ mm Length	1_1 = Absent	() 2 = Rare (R	ebel)	3 = Common ()	
LEAF BLAI	DE: (Tiller leaves/	turf color)				·
*_8 C	olor: 1 = Lig	ht green ()	3 = Medium	n light green () 5 = Green (
	7 = Med	dium dark green () 9 = Very da	rk green ()		
7=R	ebel Jr	Specify	rating of comparison	variety		
*_1_ A	Anthocyanin:	1 = Absent ()	9 = Present	()		
*_1 B	Basal Hairs:	1 = Absent ()	9 = Present	()		•
*_9N	Aargins:	1 = Smooth ()	5 = Semi-ro	ugh ()	9 = Rough ()

8. LE.	AF BLADE: (continued)		•	·	#20040020
	*7_Width Class: 1 = Ve	ry coarse $()$ $3 = C$	Coarse ()	5 = Medium ()	#20040029
	7 = Fin	9 = V	Very Fine ()		
* TIL	LER LEAF LENGTH CM: (First leaf	subtending the flag leaf)	* TILLE	R LEAF WIDTH MN	1 :
	22.7 cm Tiller Leaf Length		_5.9_ mm	Tiller Leaf Width	
	6.5 cm Shorter than 6)	<u>0.9</u> mm Na	arrower than 6)
	Length same as	Comparison Variety	Wid	th same as	Comparison Variety
	cm Taller than	,	mm	Longer than	•
FLAG	LEAF LENGTH CM:		FLAG	LEAF WIDTH MM:	
· .	_14.5 cm Flag Leaf Length		_5.4 mm F	ag Leaf Width	
	3.9 cm Shorter than 6		_0.3 mm	Narrower than_6	•
• .	Length same as	\	Widt	h same as	Comparison Variety
	cm Longer than	Comparison Variety	mm \	Wider than	
* 9. LI	EAF SHEATH: (Basal Portion)				
	* Anthocyanin (seedling):	1 = Absent (K31)	9 = Present ()	
	*_9 Auricle Hairiness:	1 = Absent ()	9 = Pre	esent ()	
* 10. P	PANICLE: (At seed maturity except w		4 . 50/		
	*_5 Shape: 1 = Narrow-tape:	ring () 5 = O	ovate; 5% narrow tavate ()	7 = Oblong()	9 = Other (specify)
	*_7_Type: 1 = Compact (ap)		open; 16% intermed termediate ()	7 = Open ()	9 = Other (specify)
	*_9 Orientation: 1 = Nod	lding ()	9 = Erect ()	90% erect; 10% ser	mi-erect
	*_9_Branch Pubescence: 1 = Glat	brous ()	9 = Pubescent () .	
	*_6 Anther Color (At anthesis):	1 = Yellowish Green	2 = Green	3 = Bluish Green	
		4 = Purplish	5 = Reddish	6= Other (Specify)	6= yellow
	* 5 Glume Color (At anthesis):	1 = Yellowish Green	2 = Green	3 = Bluish Green	
		4 = Purplish	5 = Reddish	6= Other (Specify)	
	*20.4 (year=2003) cm Panicle	Length (from base to tip.	, if nodding, straigh	ten; after anthesis)	
	3.5 cm Shorter than 7		•		
	Length same as	Comparison Variety	y		
	cm Longer than				

6_Winter Stress I = Susceptible ()	5 = Tolerant ()9 = Resistant ()	
-------------------------------------	----------------	------------------	---	--

o winter Stress I = Susceptible () 5 = Tolerant ()9 = Resistant () #2 0 0 4 0 0 2 9 3

14. GIVE VARIETY OR VARIETIES THAT MOST CLOSELY RESEMBLE THE APPLICATION VARIETY. For the following characteristics, indicate the degree of resemblance with the following scale:

1 = Application variety is less than comparison variety 2 = Same as 3 = More than, better, greater, darker, etc.

Character	Varieties	Rating		Character	Varieties	Rating	
Leaf Width	1, less than Re	ebel Sentry		Leaf Color 3, da	arker than Barl	exas	
Panicle Color				Panicle Shape			
Seed Size				Cold Injury			
Winter Color		: :	Heat				
Disease		r N			•		

^{* 15.} EXPERIMENTAL: Give a brief summary of the experimental design utilized to collect the data used on this form. Cultural conditions, number of plants measured and plant spacing must be specified.

Randomized complete block, 3 replications, 20 spaced plants per replication were planted on 3 foot centers, minimum of 15 were to be measured; Cultural conditions were standard for seed production in the Pacific Northwest, with planting in the Fall and measured the following spring.

length width cm mm 14.7 15.5 18.8 20.6 25.0	length cm			
Cm mm 14.7 15.5 18.8 20.3 20.6	ш	height	ear	Heading
14.7 15.5 18.8 20.3 20.6		cm	cm	
15.5 18.8 20.3 20.6	4.3 10.61	86.7	35,3	136
20.3	5.4 10.32	80.2	30.4	
20.3	5.2 11.95	92.6	39.2	136
20.6	8.7 11.75	95.9	39.5	
25.0	.1 13.10	9.66		
5.5	5.7 16.69	101.6	45.4	
18.7	5.6 12.53	i		
19.2	5.0 13.44	98.1	40.7	134
16.8	5.2 13.05	82.5	31.6	
stang 18.8	5.4 12.49	96.5	40.8	
24.1	5.8 17.01	119.3	59.5	
14.7	4.4 8.01	79.3	30.8	
Shortstop 19.2 5.	5.6 13.64	102.4	42.6	
5301 16.4 4.2	11.29	85.7	34.7	
entry 18.4	5.4 12.34	.90.3	38.4	135
15.5	5.4 10.32	80.2	30.4	134
17.2	5.3 11.24	89.8	36.4	134
dyne 16.0	5.0 9.55	80.1	29.9	136
16.3	4.8 9.58	83.8	34.2	137
Rebel III 22.1 6.	6.3 15.47	107.8	46.5	135
LSD (p=0.05) 2.03 1.44	2.62	7.80	4.20	6
				ī
Date of heading value= Day of year				
Note: Measurements from three replications 15 plants planted per replication	parte planted	ner renlinat	1,00	

Table 2.	Plant characters, two year old plants, tall fescue. Lehanon, OR, measured 2003	ers, two year	old plants.	tall fescue.	l ebanon C	R measur	ad 2003				
		Plant	Panicle	internode	Height at	Flag	Flag	Tiller	Tiller	Date	Osto Osto
	Variety	Height	length	length	ear	钜	Width	Length	Width	heading	anthesis
		сш	cm	cm	cm	cm	mm	cm	cm	2	
	Rebel IV	95.9	20.4	18.1	51.0	14.5	5.4	-	5.9	122.7	149.0
	Shelby	96.7	22.5	16.5	45.8	14.2	5.5				
	R4-D	108.5	25.0	18.9	55.9	18.4	6,4				
	Rebel 3D	114.6	26.9	18.9	61.4	17.8	9.9				
	Rebel II	120.3	26.3	21.6	63.7	17.9	0.0				
	Bonanza	116.2	26.6	20.0	8.09	18.4	5.7	29.2		İ	
	Rebel Jr	95.8	24.1	17.5	55.4	17.7	6.4				
	Crewcut	113.8	21.5	18.6	53.1	14.4	5.0				151.0
	Silverado	95.8	22.9	16.7	51.0	16.3	5.3	24.0	5.8	121.3	
	MiniMustang	103.5	23.9	17.5	54.6	17.8	5.5	24.4			
	Ky31	134.1	29.1	22.1	73.5	18.0	6.4	29.6			
	Bonsai	97.2	19.3	18.8	51.8	11.6	4.6	18.7			
	Shortstop	105.6	22.7	17.9	52.6	17.5	5.7	24.6	6.4	124.0	151.7
	5301	92.3	21.4	16.4	48.4	14.6	4.9	23.7	0.9	123.0	148.7
	Rebel Sentry	97.0	22.6	16.1	49.1	15.2	5.4	21.8	6.2	121.3	
	Shelby	96.7	22.5	16.5	45.8	14.2	5.5	21.0	0.9	122.3	149.3
	Rebel Pro	92.8	22.5	17.4	51.6	13.6	4.9	21.6	5.8	119.3	149.0
	Terradyne	91.2	19.5	16.8	46.5	12.8	4.8	19.5			150.0
	MCN	9.96	22.6	18.5	53.5	14.5	5.1	23.8	5.9	121.7	149.7
	Rebel III	114.0	27.0	19.5	56.8	19.1	6.4	28.0	6.8	119.3	150.3
LSD (p=0.05))5)	10.90	2.60	2.86	7.70	2.70	0.72	3.07	0.68		1.60
Note:	heading, for example, 108=18	kample, 108	=18 April								
	Anthesis, for example, 149=29 May	xample, 149	3=29 May								

2002 Richardsor	n, TX Data	Percent	-		
Cultivar	Quality	green	Color	Toyture	
BR4)Rebel IV		cover	Color	Texture	7
	5.3	80.5	7.7		7.
Kentucky 31 E+	5.4	89.2	6.8		6.
Rebel Sentry	5.7	85.7	7.8		6.
Tarheel	5.5	83.9	7.6		6.0
Falcon II	5.8	85.7	7.3		6.
LSD (p=0.05)	0.3	7.0	0.4		0.

(BT:1/11/2007) (

	OR Data				
Cultivar	Quality	Texture	Color	Attractiveness	Percent green cover
Rebel IV	5.0	6.3	4.7	5.3	95.3
Rebel II	2.7	3.0	2.3	2.7	95.7
Rebel 3D	4.0	3.7	3.3	3.7	94.0
Rebel Sentry	4.7	5.0	4.3	4.7	95.0
LSD (p= 0.05)	1.7	1.9	1.2	0.8	NS
scale 1-9, 9=best; 8 e			cludes brightne	ss rating	
Approximately 1	90 lines in tr	ial.		- 10	

Table 5. Quality	of selected tall fesci	ues from NTEP, N	J1 and N0	C1 locations	, 2002 data
	NJ1	NC1		T	
Variety	Quality	Quality			
Dobal IV	0.0		:		
Rebel IV	6.6	6.6		,	İ
Five Point (MCN)	5.5	6.6			
Rebei Sentry	5.1	6.6			
Bonsai	3.4	4.9			1
Wolfpack	4.8	6			
LSD (p=0.05).	0.8	0.7			
				1	

REPRODUCE LOCALLY. Include form number and edition date on al	l reproductions.	FORM APPROVED - OMB No. 0581-005
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to del certificate is to be issued (7 U.S.C. 2 confidential until the certificate is issued.)	421). The information is held
1. NAME OF APPLICANT(S) Pengington Seeds, Inc., The State University and Rutgers, University	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME Rebel IV
(87:9/2+12007) 9 NEW JETSEY 4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	BR4, R4 (GT: 3/6/ap) 6) 5. TELEPHONE (Include area code)	6. FAX (Include aree code)
-811 Mountain River Dr-240 Hansard Avenue -Lebanon, OR 97355- Lebanon, OR 97355	(541) 451- 1847	(541) 451- 1847-
(8T:9/27/2007)	7. PVPO NUMBER # 2 (00400293
8. Does the applicant own all rights to the variety? Mark an "X" in the	e appropriate block. If no, please expla	in. ? YES NO
9. Is the applicant (individual or company) a U.S. national or a U.S. b	ased company? If no, give name of c	ountry. YES NO
10. Is the applicant the original owner?	NO If no, please answer <u>one</u>	of the following:
a. If the original rights to variety were owned by individual(s), is (NO If no, give name of count	try
b. If the original rights to variety were owned by a company(ies)	, is (are) the original owner(s) a U.S. ba NO If no, give name of counti	
11. Additional explanation on ownership (Trace ownership from origin Rutgers assembled germplasm and contracted with KRB Seed for		
PLEASE NOTE:		
Plant variety protection can only be afforded to the owners (not licens 1. If the rights to the variety are owned by the original breeder, that penaltonal of a country which affords similar protection to nationals of	arson ir ust be a U.S. national, national	of a UPOV member country, or es.
If the rights to the variety are owned by the company which employ nationals of a UPOV member country, or owned by nationals of a o genus and species.	red the original breeder(s), the company country which affords similar protection (y must be U.S. based, owned by to nationals of the U.S. for the same
3. If the applicant is an owner who is not the original owner, both the	original owner and the applicant must m	neet one of the above criteria.
The original breeder/owner may be the individual or company who din Act for definitions.	ected the final breeding. See Section 4	11(a)(2) of the Plant Variety Protection
According to the Peperwork Reduction Act of 1995, an agency may not conduct or sponsor, control number. The walld CMIB control number for this information collection is 0581-0055. Including the time for reviewing the instructions, searching existing data sources, gethering as	The time required to complete this information collec-	ation is estimated to everage 0.1 hour per response.
The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and ac market or family status, political beliefs, perental status, or protected genetic information. (Ne communication of program information (Smalle, large print, audiotage, etc.) should contact US	of all prohibited bases apply to all programs.) Perso	ns with ritisabilities who require alternative means for
To file a complaint of disorimination, write USDA, Director, Office of Civil Rights, Room 326-V 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.		, SW, Washington, D.C. 20250-9410 or cell (202)
ST-470-E (04-03) designed by the Plant Variety Protection Office using	VVord 2:000	